

Clinical Signs on Admission

Terms
CWHI Updated 2/2016

1. Body Cavity
 - a. Abdominal
 - b. Chest/thoracic
 - c. Coelomic
2. Circulatory/Cardiovascular System
 - a. Hemorrhage
 - b. Bradycardia
 - c. Tachycardia
 - d. Pale mucous membranes
 - e. Slow capillary refill time
3. Digestive/Gastrointestinal System:
 - a. Bloat
 - b. Oral Cavity
 - i. Plaques
 - ii. Wounds
 - iii. Broken teeth
 - iv. Malocclusion of teeth
 - v. Dental disease
 - c. Esophagus/Crop
 - i. Crop stasis
 - ii. Sour crop/ingluvitis
 - d. Stomach/proventriculus/ventriculus
 - e. Intestines
 - i. Constipation/obstipation/ileus
 - ii. Diarrhea
 - f. Rectum/cloaca/anus
 - i. Prolapse
 - ii. Cloacalith
 - iii. Impaction
4. Ear/Auditory System
 - a. Aural abscess
 - b. Blood in external ear
5. Eye/Ocular System
 - a. Globe
 - i. Ruptured globe/pthisical globe
 - ii. Proptosed globe
 - b. Tissue surrounding eye
 - i. Ocular discharge
 - ii. Conjunctivitis
 - iii. Eye lids
 - c. Cornea
 - i. Corneal ulcer

- d. Anterior chamber
 - i. hyphema
 - ii. hypopion
 - e. Iris/pupil
 - i. Torn/lacerated
 - ii. Synechiae
 - iii. lack of/slow PLR
 - f. Lens
 - i. cataract
 - ii. luxated
 - g. Retina
 - i. Retinal detachment/degeneration/tear
6. Skin/Integument System
- a. Horns/antlers
 - b. Beak
 - c. Fur/feathers
 - i. hair loss/feather loss
 - 1. Brood patch
 - 2. Molting
 - d. Skin/scutes
 - i. Abrasion/road rash
 - ii. Burn-like lesion
 - iii. Skin tear/degloving
 - iv. Puncture/laceration
 - v. Bruising/hematoma
 - vi. Swelling
 - vii. Necrosis
 - viii. Masses
 - ix. Subcutaneous emphysema
 - x. Shell rot
 - e. Talon/hoof
7. Generalized
- a. Hypothermia
 - b. Hyperthermia/fever
 - c. Dehydration
 - d. Depression/lethargy
 - e. Loss of body condition
 - i. Thin
 - ii. Emaciated
8. Hematopoietic System
9. Musculoskeletal System
- a. Joints/ligaments
 - i. Dislocation/luxation/sub-luxation
 - ii. swelling
 - iii. joint infection
 - b. Muscles/tendons

- i. Head
- ii. Forelimb
- iii. Hindlimb
- iv. Mid body
- v. Spine/tail

Under all of skeleton, the asterisk has these choices under the location chosen
Fracture

Angular limb deformity
Osteomyelitis
Amputation

- c. Skeleton
 - i. Skull
 - 1. Cranium
 - 2. Lower jaw (mandible)
 - 3. Upper jaw (maxilla)
 - ii. Forelimb/wing/shoulder girdle
 - 1. Clavicle
 - 2. Coracoid
 - 3. Scapula
 - 4. Humerus
 - 5. Radius
 - 6. Ulna
 - 7. Carpals
 - 8. Metacarpals
 - 9. Phalanges
 - iii. Ribs/sternum
 - iv. Hind limb/pelvis
 - 1. Pelvis/synsacrum
 - 2. Femur
 - 3. Patella
 - 4. Tibia
 - 5. Fibula
 - 6. Tibiotarsus
 - 7. Tarsals
 - 8. Metatarsals
 - 9. Tarsometatarsus
 - 10. Phalanges
 - v. Spine/tail
 - vi. Shell
 - 1. Bridge
 - 2. Carapace
 - 3. Plastron

10. Nervous System

- a. CNS/Brain
 - b. CNS/Spinal cord
 - c. Peripheral Nerve
11. Respiratory System
- a. Dyspnea/Open mouth breathing
 - b. Respiratory congestion
 - c. Upper respiratory tract
 - i. Nasal cavity
 - 1. Discharge
 - ii. Pharynx/larynx
 - iii. Trachea
 - iv. Bronchi
 - d. Lower respiratory tract
 - i. Lungs
 - ii. Air sacs
12. Urogenital System
- a. Reproductive tract
 - i. Prolapse
 - ii. Reproductively active/pregnant
 - 1. Dystocia/egg-bound
 - iii. Lactating
 - iv. Swelling (vulva, penis, prepuce)
 - v. Discharge
 - vi. Wound
 - b. Urinary tract
 - i. Hematuria
 - ii. Urolith
 - iii. Urinary tract infection
 - iv. Enlarged bladder/retained urine
13. Clinically Healthy
14. Died Before Exam